


**SCAN HERE FOR
VIDEO TUTORIALS**



INSTRUCTION MANUAL & WARRANTY GUIDE




4X4 & CARAVAN



PWC



DIRT BIKE & ATV



BOAT

CHASSIS FLUSHER KIT



Effortlessly protect and maintain your vehicle with the ultimate chassis flushing kit designed to flush away corrosive salt and grime in seconds.



01 Attach the Salt Shift Chassis Flusher to the hose provided in the kit or your standard garden hose.

A quick release hose adaptor is included for threaded hose connections.



02 Fill the Salt Shift Flusher Canister with approx. 50mL of Off-Road Salt & Mud Wash and attach it to the extension hose. Set the dilution dial on top of the canister to the soap setting.



03 Attach the Salt Shift Chassis Flusher to your chassis rail and turn on the water. You can use the adjustable dilution dial to swap between water and soap when flushing your chassis. Allow about 30 seconds per hole - moving the Chassis Flusher between 3-5 points on each side of your chassis rails.

TIP: Start at the highest point of your chassis rail or park on a slight incline for the best results



UNDERBODY BLASTER PRO



The Underbody Blaster Pro is a heavy-duty, high-pressure cleaning tool designed to quickly and effectively flush salt, sand, and grime from your vehicle's undercarriage.



Using the provided hex key: remove the pipe saddle and attach the 80 Degree bent pipe to the Under Body Blaster Pro and re-attach the pipe saddle. Ensure bolts are tightened.



Now connect the 3 straight extension poles onto the Underbody Blaster. Attach the 30 Degree Pipe at the **end** nearest your pressure washer handle. Select one of the spray adaptors and attach to the sprayer.



Connect the Underbody Blaster Pro to your pressure washer handle using one of the supplied adaptors & 1/4" quick release. Use the supplied thread tape for a secure fit.

TIP: Remove your pressure washer handle to find the adaptor you need.



Roll the unit under the vehicle, moving back and forth slowly to ensure full coverage.

TIP: Use with Salt Shift Off-Road Salt & Mud wash for best results.

SNOW FOAM CANNON



The Salt Shift Foam Cannon delivers thick, clinging foam for maximum coverage and deep cleaning power, making vehicle maintenance fast, easy, and effective.



Fill the Foam Cannon bottle with water and then add 50mL of Salt Shift Off-Road Salt & Mud Wash. Attach the bottle securely to the Foam Cannon head.

TIP: Add the water before the soap to prevent bubbling and excessive foaming.

TIP: Adjust the top dial to control foam thickness (turn towards "+" for more soap, "-" for more water). Twist the front nozzle to change spray width and angle as needed.



Attach the Snow Foam Cannon to your pressure washer handle using one of the supplied adaptors.

TIP: Remove your pressure washer handle to find the adaptor you need.



Begin foaming! Apply foam evenly from top to bottom for full coverage. Allow foam to dwell for at least 60s. Do not allow foam to dry. Use your pressure washer to thoroughly rinse the vehicle.

TIP: Use the Salt Shift 2-in-1 wash mitt for heavily soiled vehicles.

SNOW FOAM GUN



The Salt Shift Foam Gun connects directly to your garden hose, creating rich, sudsy foam for a quick and hassle-free clean without the need for a pressure washer.



01



Adjustable Dilution Dial

Fill the Foam Gun Bottle with water first and then add 50mL of either Off-Road Salt & Mud Wash or Marine Salt Wash. Attach the bottle securely to the Foam Gun head.

TIP: Add the water before the soap to prevent bubbling and excessive foaming.

TIP: Use the dilution dial on the Foam Gun to control how much soap is applied during use.

Setting 0: Most Concentrated **Setting 5:** Least Concentrated



02

Quick Release Handle

Garden Hose

Attach your garden hose to the brass quick release handle and then attach the quick release handle to the Foam Gun. Attach the nozzle to the foam gun.

TIP: The foam gun nozzle can be removed to increase the reach of the Salt Shift Foam Gun.



03

Begin foaming! Apply foam evenly from top to bottom for full coverage. Allow foam to dwell for at least 60s. Do not allow foam to dry. Simply remove the quick release handle from the Foam Gun and rinse thoroughly.



**OFF-ROAD SALT
& MUD WASH**



MARINE SALT WASH



MARINE ENGINE FLUSH

AUSTRALIA'S MOST ADVANCED FORMULAS

Salt Shift formulas are specially engineered for harsh Australian conditions, providing powerful yet eco-friendly cleaning solutions that effectively remove salt, grime, and corrosion without damaging surfaces. They use advanced corrosion inhibitors to protect marine gear, vehicles, and equipment, ensuring long-lasting performance. Plus, their easy-to-use formulas make maintenance quick and hassle-free, keeping your gear in top shape with minimal effort.



Innovative
Formulas



Money Back
Guarantee



Australian Made

CAUTION

Hose Connections: Ensure that all hose connections are securely fastened before use to prevent water leakage or disconnection under pressure.

Pressure Rating: Do not exceed recommended water pressure levels to prevent damage to products.

Low Pressure Hardware: Max Pressure 150psi

High Pressure Hardware: Max Pressure 4000psi

Do Not Use Near Electrical Components: Avoid using Salt Shift Hardware near exposed electrical wiring or components to prevent water damage or electrical shorts



WARRANTY

Salt Shift proudly offers a limited manufacturers warranty on all hardware products, ensuring they are free from defects in materials and workmanship under normal use and maintenance for a period of 12 months. This warranty is extended only to the original purchaser and is non-transferable.

This Warranty Covers:

- Defects in the materials and workmanship under normal use.
- Replacement of faulty components or, if necessary, the entire product.

This Warranty Does Not Cover:

- Damage caused by misuse, improper handling, or neglect.
- Normal wear and tear including degradation due to exposure to harsh environmental conditions.
- Incidental or consequential damage arising from the use of the product.
- Modifications or alterations to the product not authorized by Salt Shift.
- Damage resulting from improper assembly, disassembly, or failure to follow instructions.

MAKE SHIFT HAPPEN



**NEED HELP?
CONTACT US
WE'RE ALWAYS HERE
AND HAPPY TO HELP**

✉ info@saltshift.com ☎ 07 5576 3368

www.saltshift.com

📷 [@SaltShift](https://www.facebook.com/SaltShift)